

Z+F Insulated & Uninsulated Ferrules

Ferrules with insulating collar

< Single bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
0.14	6	N	26	V30AE001667		V30AE001669	500	0.036
0.14	8	L	26	V30AE001668		V30AE001661	500	0.043
0.25	6	N	24	V30AE000001		V30AE001662	500	0.043
0.25	8	L	24	V30AE000002		V30AE001644	500	0.051
0.25	12	LS	24	V30AE004155		V30AE001663	500	0.066
0.34	6	N	22	V30AE000003		V30AE001645	500	0.045
0.34	8	L	22	V30AE000004		V30AE004154	500	0.052
0.34	12	LS	22	V30AE004156		V30AE001664	500	0.068
0.5	6	K	20	V30AE000005	V30AE000037	V30AE000037	500	0.064
0.5	8	N	20	V30AE000006	V30AE000038	V30AE000038	500	0.073
0.5	10	HL	20	V30AE000007	V30AE000039	V30AE000039	500	0.086
0.5	12	L	20	V30AE004158	V30AE004159	V30AE004159	500	0.094
0.75	6	K	18	V30AE000008	V30AE000040	V30AE000546	500	0.075
0.75	8	N	18	V30AE000009	V30AE000041	V30AE000537	500	0.088
0.75	9	HLS	18	V30AE006687	V30AE006686	V30AE006688	500	0.093
0.75	10	HL	18	V30AE000010	V30AE000042	V30AE000547	500	0.097
0.75	12	L	18	V30AE000011	V30AE000043	V30AE000548	500	0.108
1	6	K	18	V30AE000012	V30AE000044	V30AE000044	500	0.088
1	8	N	18	V30AE000013	V30AE000045	V30AE000045	500	0.100
1	10	HL	18	V30AE000014	V30AE000046	V30AE000046	500	0.116
1	12	L	18	V30AE000015	V30AE000047	V30AE000047	500	0.128
1.5	6	K	16	V30AE003704	V30AE003705	V30AE003705	500	0.101
1.5	8	N	16	V30AE000016	V30AE000048	V30AE000048	500	0.117
1.5	10	HL	16	V30AE000017	V30AE000049	V30AE000049	500	0.133
1.5	12	HLS	16	V30AE002114	V30AE000050	V30AE000050	500	0.150
1.5	18	L	16	V30AE000018	V30AE000051	V30AE000051	500	0.194
2.08	8	N	14	V30AE004700		V30AE004929	500	0.123
2.08	12	HL	14			V30AE004927	500	0.172
2.5	6	K	14	V30AE004103	V30AE004103	V30AE004107	500	0.139
2.5	8	N	14	V30AE000052	V30AE000052	V30AE000538	500	0.149
2.5	10	HLS	14	V30AE003702	V30AE003702	V30AE003703	500	0.164
2.5	12	HL	14	V30AE000053	V30AE000053	V30AE000549	500	0.182
2.5	18	L	14	V30AE000054	V30AE000054	V30AE000550	500	0.247
4	8	K	12	V30AE004104	V30AE004104	V30AE004106	500	0.221
4	10	N	12	V30AE000055	V30AE000055	V30AE000539	500	0.261
4	12	HL	12	V30AE000056	V30AE000056	V30AE000551	500	0.287
4	18	L	12	V30AE000057	V30AE000057	V30AE000552	100	0.417

Ferrules with insulating collar

< Single bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
6	12	N	10	V30AE000025	V30AE000058	V30AE000540	100	0.405
6	18	L	10	V30AE000026	V30AE000059	V30AE000553	100	0.521
10	12	N	8	V30AE000027	V30AE000060	V30AE000541	100	0.540
10	18	L	8	V30AE000028	V30AE000061	V30AE000554	100	0.674
16	12	N	6	V30AE000029	V30AE000062	V30AE000542	100	0.709
16	18	L	6	V30AE000030	V30AE000063	V30AE000555	100	0.942
25	16	N	4	V30AE000031	V30AE000064	V30AE000543	50	1.238
25	18	HL	4	V30AE002115	V30AE000065	V30AE000556	50	1.272
25	22	L	4	V30AE000032	V30AE000066	V30AE000557	50	1.453
35	16	N	2	V30AE000033	V30AE000067	V30AE000033	50	1.404
35	18	HL	2	V30AE003721	V30AE000068	V30AE003721	50	1.440
35	25	L	2	V30AE000034	V30AE000069	V30AE000034	50	1.797
50	20	N	1	V30AE000035	V30AE000070	V30AE000035	50	2.844
50	25	HL	1	V30AE001627	V30AE001628	V30AE001627	50	3.364
50	30	L	1	V30AE000036	V30AE000071	V30AE000036	50	4.268
70	21	N	2/0	V30AE001658			25	4.160
95	25	N	3/0	V30AE001659			25	5.368
120	30	N	250kcmil	V30AE002896			25	9.235
150	32	N	300kcmil	V30AE003102			25	11.016

Ferrules with insulating collar

< Small Single bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	VPE	kg/1.000
0.14	6	N	26	V30AE003882			100	0.044
0.25	6	N	24	V30AE003884			100	0.054
0.34	6	N	22	V30AE003887			100	0.050
0.5	8	N	20	V30AE003890	V30AE003891		100	0.081
0.75	8	N	18	V30AE003892	V30AE003893		100	0.095
1	8	N	18	V30AE003895	V30AE003896		100	0.106
1.5	8	N	16	V30AE003897	V30AE003898		100	0.124
2.5	8	N	14	V30AE003899	V30AE003899		100	0.154
4	10	N	12	V30AE003901	V30AE003901		50	0.286
6	12	N	10	V30AE003903	V30AE003904		20	0.437
10	12	N	8	V30AE003906	V30AE003907		20	0.553

Note: These ferrules are not certified according to UL

Ferrules with insulating collar

< Multiple bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
0.14	6	N	26	V30AE004798		V30AE004809	10 x 100	0.044
0.14	8	L	26	V30AE004799		V30AE004810	10 x 100	0.514
0.25	6	N	24	V30AE000072		V30AE003793 V30AE006705	10 x 100	0.054
0.25	8	L	24	V30AE000617		V30AE004811 V30AE006706	10 x 100	0.057
0.25	12	LS	24	V30AE006219		V30AE006220 V30AE003795	10 x 100	0.078
0.34	6	N	22	V30AE000073		V30AE006678	10 x 100	0.050
0.34	8	L	22	V30AE000618		V30AE004812 V30AE006679	10 x 100	0.061
0.34	12	LS	22	V30AE006221		V30AE006222	10 x 100	0.070
0.5	6	K	20	V30AE001156	V30AE004813	V30AE004813	10 x 100	0.070
0.5	8	N	20	V30AE000074	V30AE000079	V30AE000079	10 x 100	0.081
0.5	10	HL	20	V30AE001159	V30AE004801	V30AE004801	10 x 100	0.091
0.5	12	L	20	V30AE006223	V30AE006224	V30AE006224	10 x 100	0.102
0.75	6	K	18	V30AE001157	V30AE004802	V30AE004814	10 x 100	0.084
0.75	8	N	18	V30AE000075	V30AE000080	V30AE000619	10 x 100	0.095
0.75	10	HL	18	V30AE001160	V30AE004803	V30AE004815	10 x 100	0.105
0.75	12	L	18	V30AE001163	V30AE004804	V30AE004816	10 x 100	0.115
1	6	K	18	V30AE001158	V30AE003796	V30AE003796	10 x 100	0.095
1	8	N	18	V30AE000076	V30AE000081	V30AE000081	10 x 100	0.106
1	10	HL	18	V30AE001161	V30AE004805	V30AE004805	10 x 100	0.121
1	12	L	18	V30AE001164	V30AE004806	V30AE004806	10 x 100	0.135
1.5	6	K	16	V30AE006225	V30AE006226	V30AE006226	10 x 100	0.108
1.5	8	N	16	V30AE000077	V30AE000082	V30AE000082	10 x 100	0.124
1.5	10	HL	16	V30AE001162	V30AE004807	V30AE004807	10 x 100	0.138
1.5	12	HLS	16	V30AE004800	V30AE004808	V30AE004808	10 x 100	0.133
2.08	8	N	14	V30AE006209		V30AE006210	10 x 100	0.144
2.08	12	HL	14			V30AE006228	10 x 100	0.179
2.5	6	K	14	V30AE006229	V30AE006229	V30AE006230	10 x 100	0.145
2.5	8	N	14	V30AE000083	V30AE000083	V30AE000620	10 x 100	0.154
2.5	10	HLS	14	V30AE006231	V30AE006231	V30AE006232	10 x 100	0.170
2.5	12	HL	14	V30AE006233	V30AE006233	V30AE006234	10 x 100	0.190
4	8	K	12	V30AE006235	V30AE006235	V30AE006236	10 x 50	0.239
4	10	N	12	V30AE000589	V30AE000589	V30AE000621	10 x 50	0.286
6	12	N	10	V30AE006239	V30AE006240	V30AE006241	10 x 20	0.437
10	12	N	8	V30AE006242	V30AE006243	V30AE006244	10 x 20	0.553

Twin ferrules

< Single bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
2 x 0,34	8	N	2 x 22	V30AE006564			500	0.089
2 x 0,5	8	N	2 x 20	V30AE001134	V30AE001145	V30AE001145	500	0.110
2 x 0,5	10	HL	2 x 20	V30AE001135	V30AE001146	V30AE001146	500	0.124
2 x 0,5	12	L	2 x 20	V30AE001136	V30AE001147	V30AE001147	500	0.136
2 x 0,75	8	N	2 x 18	V30AE000606	V30AE000607	V30AE003106	500	0.127
2 x 0,75	10	HL	2 x 18	V30AE000733	V30AE000734	V30AE003107	500	0.143
2 x 0,75	12	HLS	2 x 18	V30AE006298	V30AE006297	V30AE006299	500	0.158
2 x 0,75	18	L	2 x 18	V30AE000740	V30AE000741	V30AE003108	500	0.202
2 x 1	8	N	2 x 18	V30AE000608	V30AE000609	V30AE000609	500	0.148
2 x 1	12	HL	2 x 18	V30AE000735	V30AE000736	V30AE000736	500	0.182
2 x 1	14	HLS	2 x 18	V30AE006655	V30AE006654	V30AE006654	500	0.199
2 x 1	18	L	2 x 18	V30AE000742	V30AE000743	V30AE000743	500	0.239
2 x 1,5	8	N	2 x 16	V30AE000623	V30AE000625	V30AE000625	500	0.166
2 x 1,5	12	HL	2 x 16	V30AE000737	V30AE000738	V30AE000738	500	0.205
2 x 1,5	18	L	2 x 16	V30AE000744	V30AE000745	V30AE000745	100	0.264
2 x 2,5	10	N	2 x 14	V30AE000611	V30AE000611	V30AE003115	500	0.304
2 x 2,5	12	HL	2 x 14	V30AE000748	V30AE000748	V30AE003116	100	0.365
2 x 2,5	18	L	2 x 14	V30AE000750	V30AE000750	V30AE003117	100	0.471
2 x 4	12	N	2 x 12	V30AE001148	V30AE001148	V30AE003118	100	0.484
2 x 4	18	L	2 x 12	V30AE001149	V30AE001149	V30AE003119	100	0.628
2 x 6	12	N	2 x 10	V30AE001139	V30AE001150	V30AE003120	100	0.623
2 x 6	18	L	2 x 10	V30AE001140	V30AE001151	V30AE003121	100	0.757
2 x 10	12	N	2 x 8	V30AE001141	V30AE001152	V30AE003122	100	0.808
2 x 10	18	L	2 x 8	V30AE001142	V30AE001153	V30AE003123	100	1.042
2 x 16	16	N	2 x 6	V30AE001143	V30AE001154	V30AE003124	50	1.440
2 x 16	25	L	2 x 6	V30AE001144	V30AE001155	V30AE003125	50	1.871

Twin ferrules

< Multiple bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
2 x 0,34	8	N	2 x 22	V30AE006664			10 x 100	0.089
2 x 0,5	8	N	2 x 20	V30AE000980	V30AE000992	V30AE000992	10 x 100	0.119
2 x 0,5	10	HL	2 x 20	V30AE001002	V30AE001014	V30AE001014	10 x 100	0.131
2 x 0,5	12	L	2 x 20	V30AE001024	V30AE001036	V30AE001036	10 x 100	0.141
2 x 0,75	8	N	2 x 18	V30AE000558	V30AE000560	V30AE003771	10 x 100	0.139
2 x 0,75	10	HL	2 x 18	V30AE000719	V30AE000720	V30AE006245	10 x 100	0.150
2 x 0,75	12	HLS	2 x 18	V30AE006570	V30AE006247	V30AE006248	10 x 100	0.167
2 x 1	8	N	2 x 18	V30AE000559	V30AE000561	V30AE000561	10 x 100	0.153
2 x 1	12	HL	2 x 18	V30AE000721	V30AE000722	V30AE000722	10 x 100	0.185
2 x 1,5	8	N	2 x 16	V30AE000622	V30AE000624	V30AE000624	10 x 100	0.171
2 x 1,5	12	HL	2 x 16	V30AE000723	V30AE000724	V30AE000724	10 x 100	0.208
2 x 2,5	10	N	2 x 14	V30AE000605	V30AE000605	V30AE003772	10 x 50	0.334
2 x 2,5	12	HL	2 x 14	V30AE000747	V30AE000747	V30AE006251	10 x 50	0.356
2 x 4	12	N	2 x 12	V30AE006252	V30AE006252	V30AE006253	10 x 20	0.503
2 x 6	12	N	2 x 10	V30AE006254	V30AE006255	V30AE006256	10 x 20	0.635
2 x 10	12	N	2 x 8	V30AE006257	V30AE006258	V30AE006259	10 x 20	0.838

Multinorm wires (AWG)

< Single bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
0.34	6	S-N	22	V30AE003635		V30AE003636	500	0.045
0.34	8	S-L	22	V30AE003637		V30AE003638	500	0.054
0.5	8	S-N	20	V30AE003544	V30AE003545	V30AE003545	500	0.078
0.5	10	S-HL	20	V30AE003755	V30AE006656	V30AE006656	500	0.093
0.5	12	S-L	20	V30AE003846	V30AE003847	V30AE003847	500	0.100
0.75	8	S-N	18	V30AE002288	V30AE003547	V30AE003548	500	0.093
0.75	10	S-HL	18	V30AE006689	V30AE006601	V30AE006690	500	0.113
0.75	12	S-L	18	V30AE003848	V30AE003849	V30AE003850	500	0.113
1	8	S-N	18	V30AE000655	V30AE003549	V30AE003549	500	0.103
1	10	S-HL	18	V30AE006695	V30AE003756	V30AE003756	500	0.118
1	12	S-L	18	V30AE003851	V30AE003852	V30AE003852	500	0.130
1.5	8	S-N	16	V30AE000654	V30AE003551	V30AE003551	500	0.124
1.5	10	S-HL	16		V30AE006696	V30AE006696	500	0.129
1.5	12	S-HLS	16	V30AE003853	V30AE003854	V30AE003854	500	0.156
35	16	S-N	2	V30AE006691	V30AE006692	V30AE006691	50	1.785
35	18	S-HL	2	V30AE006693	V30AE006694	V30AE006693	50	2.020

Multinorm wires (AWG)

< Multiple bag >

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
0.34	6	S-N	22	V30AE003639		V30AE003640	10 x 100	0.053
0.34	8	S-L	22	V30AE003641			10 x 100	0.062
0.5	8	S-N	20	V30AE005116	V30AE005117	V30AE005117	10 x 100	0.085
0.75	8	S-N	18	V30AE005118	V30AE005119	V30AE005120	10 x 100	0.100
1	8	S-N	18	V30AE005121	V30AE005122	V30AE005122	10 x 100	0.111
1.5	8	S-N	16	V30AE005123	V30AE005124	V30AE005124	10 x 100	0.130

Small collar for terminals with reduced width

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
2.5	8	XS-S	14	V30AE003213	V30AE003213	V30AE003709	500	0.137
4	12	XS-S	12	V30AE003857			500	0.285
10	12	XS-S	8	V30AE003858			100	0.512

Ferrules for short circuit proof and earth fault current proof wires

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
1.5	8	X-N	16		V30AE003481		100	0.257
1.5	10	X-HL	16		V30AE003482		100	0.268
2.5	8	X-N	14		V30AE003483		100	0.279
2.5	12	X-HL	14		V30AE003484		100	0.316
4	10	X-N	12		V30AE003485		100	0.385
6	12	X-N	10		V30AE003486		100	0.529
10	12	X-N	8		V30AE003487		100	0.649
16	12	X-N	6		V30AE003488		100	0.944

Note: These ferrules are not certified according to UL

Ferrules on reel

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
0.34	8	L	22	V30MA000032			5,000	0.095
0.5	8	N	20	V30MA000034	V30MA000033	V30MA000033	5,000	0.111
0.5	10	HL	20	V30MA004816	V30MA004817	V30MA004817	5,000	0.111
0.75	8	N	18	V30MA000036	V30MA000035	V30MA000037	5,000	0.122
0.75	10	HL	18	V30MA004818	V30MA004819	V30MA004820	5,000	0.122
1	8	N	18	V30MA000039	V30MA000038	V30MA000038	5,000	0.130
1	10	HL	18	V30MA004821	V30MA004822	V30MA004822	5,000	0.130
1.5	8	N	16	V30MA000041	V30MA000040	V30MA000040	5,000	0.148
1.5	10	HL	16	V30MA004823	V30MA004824	V30MA004824	5,000	0.148
2.5	8	N	14	V30MA000030	V30MA000030	V30MA000031	3,000	0.205
2.5	10	HL	14	V30MA004825	V30MA004825	V30MA004826	3,000	0.205

Ferrules on reel for Multinorm wires (AWG)

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
0.5	8	S-N	20	V30MA004933	V30MA004934	V30MA004934	4,000	0.078
0.5	10	S-HL	20	V30MA004971	V30MA004972	V30MA004972	4,000	0.093
0.75	8	S-N	18	V30MA004935	V30MA004936	V30MA004937	4,000	0.093
0.75	10	S-HL	18	V30MA004973	V30MA004974	V30MA004975	4,000	0.113
1	8	S-N	18	V30MA004938	V30MA004939	V30MA004939	4,000	0.103
1	10	S-HL	18	V30MA004976	V30MA004977	V30MA004977	4,000	0.118
1.5	8	S-N	16	V30MA004940	V30MA004941	V30MA004941	4,000	0.124
1.5	10	S-HL	16	V30MA004978	V30MA004979	V30MA004979	4,000	0.129
2.5 *	8	N	14	V30MA000030	V30MA000030	V30MA000031	3,000	0.205
2.5 *	10	HL	14	V30MA004825	V30MA004825	V30MA004826	3,000	0.205

Note: These ferrules (0,5 mm² to 1,5 mm²) are not certified according to UL

* is corresponding to our standard material

Ferrules on belt-strips

Description				Colour code / Item no.			Pieces	Weight
mm ²	L	Type	AWG	Z+F	DIN	KDS	PU	kg/1.000
0.5	8	N	20	V30MA000070	V30MA000069	V30MA000069	10 x 50	0.076
0.75	8	N	18	V30MA000072	V30MA000071	V30MA000073	10 x 50	0.088
1	8	N	18	V30MA000075	V30MA000074	V30MA000074	10 x 50	0.106
1.5	8	N	16	V30MA000077	V30MA000076	V30MA000076	10 x 50	0.120
2.5	8	N	14	V30MA000078	V30MA000078	V30MA000079	10 x 50	0.149

Uninsulated ferrules

Description				Item no.	Pieces	Weight
mm ²	L		AWG		PU	kg/1.000
0.14	7		26	V30AE009399	1,000	0.027
0.25	5		24	V30AE009047	1,000	0.022
0.25	7		24	V30AE009552	1,000	0.031
0.34	5		22	V30AE009398	1,000	0.023
0.34	7		22	V30AE009365	1,000	0.033
0.5	6		20	V30AE009048	1,000	0.033
0.5	7		20	V30AE009653	1,000	0.039
0.5	8		20	V30AE009481	1,000	0.042
0.5	10		20	V30AE009049	1,000	0.055
0.5	12		20	V30AE009192	1,000	0.066
0.75	6		18	V30AE009050	1,000	0.042
0.75	8		18	V30AE009427	1,000	0.050
0.75	10		18	V30AE009051	1,000	0.061
0.75	12		18	V30AE009323	1,000	0.072
0.75	15		18	V30AE009193	1,000	0.095
1	6		18	V30AE009052	1,000	0.041
1	7		18	V30AE009194	1,000	0.052
1	8		18	V30AE009395	1,000	0.055
1	10		18	V30AE009053	1,000	0.069
1	12		18	V30AE009643	1,000	0.085
1	15		18	V30AE009195	1,000	0.108
1.5	6		16	V30AE009429	1,000	0.053
1.5	7		16	V30AE009054	1,000	0.059
1.5	8		16	V30AE009430	1,000	0.068
1.5	10		16	V30AE009055	1,000	0.084
1.5	12		16	V30AE009056	1,000	0.098
1.5	15		16	V30AE009196	1,000	0.128
1.5	18		16	V30AE009057	1,000	0.152
1.5	20		16	V30AE009197	1,000	0.169
2.5	7		14	V30AE009058	1,000	0.072
2.5	8		14	V30AE009432	1,000	0.084
2.5	10		14	V30AE009059	1,000	0.106
2.5	12		14	V30AE009060	1,000	0.129
2.5	15		14	V30AE009198	1,000	0.160
2.5	18		14	V30AE009061	1,000	0.189
2.5	20		14	V30AE009199	1,000	0.212

Note: These ferrules are not certified according to UL

Uninsulated ferrules

Description				Item no.	Pieces	Weight
mm ²	L		AWG		PU	kg/1.000
4	9		12	V30AE009062	500	0.148
4	10		12	V30AE009648	1,000	0.161
4	12		12	V30AE009063	1,000	0.202
4	15		12	V30AE009064	500	0.250
4	18		12	V30AE009065	500	0.290
4	20		12	V30AE009200	500	0.358
6	10		10	V30AE009066	500	0.201
6	12		10	V30AE009067	500	0.246
6	15		10	V30AE009068	500	0.310
6	18		10	V30AE009069	500	0.036
6	20		10	V30AE009201	500	0.439
10	12		8	V30AE009070	500	0.301
10	15		8	V30AE009071	500	0.397
10	18		8	V30AE009072	500	0.455
10	20		8	V30AE009424	500	0.555
10	25		8	V30AE009320	500	0.669
16	12		6	V30AE009073	500	0.418
16	15		6	V30AE009074	500	0.517
16	18		6	V30AE009075	100	0.632
16	20		6	V30AE009202	100	0.717
16	25		6	V30AE009076	100	0.855
16	32		6	V30AE009077	100	1.103
25	12		4	V30AE009425	250	0.546
25	15		4	V30AE009078	250	0.679
25	18		4	V30AE009079	100	0.824
25	25		4	V30AE009080	250	1.098
25	32		4	V30AE009081	100	1.426
35	12		2	V30AE009203	100	0.612
35	18		2	V30AE009082	100	0.942
35	20		2	V30AE009650	100	1.014
35	22		2	V30AE009204	100	1.105
35	25		2	V30AE009083	100	1.274
35	30		2	V30AE009084	100	1.507
35	32		2	V30AE009085	100	1.626
50	18		1	V30AE009086	100	1.613
50	22		1	V30AE009087	100	2.258
50	25		1	V30AE009775	100	2.302
50	32		1	V30AE009088	100	2.283
70	25		2/0	V30AE009089	50	3.581
70	32		2/0	V30AE009090	50	4.565
95	25		3/0	V30AE009091	50	4.152
95	30		3/0	V30AE009205	50	5.708
95	32		3/0	V30AE009092	50	5.107
120	32		250kcmil	V30AE009371	25	7.576
150	32		300kcmil	V30AE009393	25	9.264
150	38		300kcmil	V30AE009800	25	10.974
185	32		350kcmil	V30AE009397	25	12.043
185	40		350kcmil	V30AE009801	25	15.007
240	40		500kcmil	V30AE009321	25	15.624

Note: These ferrules are not certified according to UL